

RANGE

DL STANDARD SIZES



Standards



Maximum height = 2000



Maximum height = 2200



Maximum height = 3000



Maximum height = 3000

Height Extensions

Maximum weight of banner : 450 gms/sqm


+ Banner sleeves : 40 mm

OUTSIDE CABLES

DL 800 600 STANDARD SIZES



- Standard formats :
DL 800 = 1200 x 2000
DL 600 = 900 x 1400
- The “exterior cables” system allows also made to measure formats (height / width).
- When the banner is being printed we recommend including small marks to indicate the cable fixing points. These marks can be printed on the upper part of the banner which will be folded back to make the sleeve. The gap between the marks varies, depending on the gap between the cables.
DL 800 = 815 mm between the two cables
DL 600 = 615 mm



Maximum weight of banner : 450 gms/sqm



TRIPTYCH

DL 800 STANDARD SIZES



- The heights given are maximum heights for a triptych stand.

- They allow the fitting of a Cigogne lighting system on cross ties above the banners.

- These heights can be lower than 2230 mm but the 40 mm overall height difference between middle and side banners must be respected. (20 mm at the top, 20 mm at the bottom)




Maximum weight of banner : 450 gms/sqm

800 x 2190

1200 x 2230

800 x 2190



TRIPTYCH

DL 600 STANDARD SIZES




- The heights given are maximum heights for a triptych stand.

- They allow the fitting of a Cigogne lighting system on cross ties above the banners.

- These heights can be lower than 1960 mm but the 40 mm overall height difference between middle and side banners must be respected. (20 mm at the top, 20 mm at the bottom)



Maximum weight of banner : 450 gms/sqm




+ Banner sleeves : 40 mm

RANGE

750 STANDARD SIZES

(IGOGNE)TM Display



*Maximum height = 2050

+ Banner sleeves : 40 mm

Maximum weight of banner : 450 gms/sqm

TRIPTYCH

750 STANDARD SIZES



- The indicated heights are maximum heights for a triptych stand.

- For lower heights, the 40 mm overall height difference between middle and side banners must be respected.

- With the lighting system option, these heights are reduced 50 mm.
Side banners = 1960 mm
Middle banner = 2000 mm



Maximum weight of banner : 450 gms/sqm

750 x 2010

1200 x 2050

750 x 2010



+ Banner sleeves : 40 mm

RANGE

300

STANDARD SIZES

(IGOGNE)[™] Display

300 x 1600

500 x 1600



500 x 1300

300 x 1300



Maximum weight of banner : 450 gms/sqm

+ Banner sleeves : 40 mm